CHEMISTRY 102B/C	NAME	
Hour Exam I		
October 2, 2019	SIGNATURE	
T. Hummel		
	SECTION	

#### FORM "A"

This exam is made up of an answer sheet, two cover sheets and 8 numbered pages. Below are instructions for coding the answer sheet. The last page of this exam contains some useful equations and constants, plus the periodic table.

On the answer sheet:

- 1. Use #2 pencil. Erase cleanly.
- 2. Print your **NAME** in the appropriate designated spaces, then blacken in the letter boxes below each printed letter, last name first, then your first name initial.
- 3. Fill in your university **ID** number under **STUDENT NUMBER**.
- 4. Under **SECTION** write the five digit number that corresponds to your section designation, and then blacken in the corresponding number of boxes. **For 102B students**, the numbers are: BQ1 = 00011, BQ2 = 00012, BQ4 = 00014, BQ6 = 00016, BQ7 = 00017, BQ8 = 00018, BQA = 00021, BQB = 00022, BQD = 00024, BQG = 00027, BQH = 00028, BQI = 00029. **For 102C students**, the numbers are: CQ1 = 00031, CQ2 = 00032, CQ3 = 00033, CQ5 = 00035, CQ6 = 00036, CQ7 = 00037, CQ8 = 00038, CQ9 = 00039, CQA = 00041, CQB = 00042, CQC = 00043, CQE = 00045.
- 5. Under **NETWORK ID** print your University Network ID beginning on the left hand side with box #1, and then blacken in the corresponding letters, numbers and/or dashes under each character. Do not fill in a character for any unused boxes.
- 6. Under **TEST FORM** blacken the letter corresponding to the form designated on the upper left hand corner of the exam booklet.
- 7. Your TA's name should be printed for **INSTRUCTOR** and write your section number for **SECTION** in the lines provided.
- 8. Sign your name (do not print) on the line provided. Print your name underneath it.
- 9. Mark only one answer per question and do not use the answer sheet for scratch paper or make any stray marks on it. Erase cleanly if you wish to change an answer. The exam itself can be used for scratch paper.

Work carefully and efficiently. If your answer differs from one given in the last proper significant figure, mark that answer as correct and not the response "none of these". All questions are worth the same.

CHEMISTRY	102
Hour Exam I	

Fall 2019	
Page	_

- 1. Which of the following statements is **false** concerning the Bohr model of the atom?
  - a) The Bohr model correctly predicts the energies of photons emitted by excited hydrogen atoms.
  - The Bohr model correctly predicts the wavelengths of visible light emitted by excited b) neon (Ne) atoms.
  - The symbol  $\mathbf{n}$  in the Bohr model represents allowed circular orbits in which an c) electron can be located.
  - The simple, well-defined circular orbits for an electron in the Bohr model are not d) allowed by the Heisenberg uncertainty principle.
  - As an electron in the Bohr model absorbs a photon of electromagnetic radiation, the e) electron moves farther away from the nucleus.
- 2. Which of the following statements is **false**?
  - a) The metal ion in TiO<sub>2</sub> has a noble gas electron configuration.
  - b) A bond between two identical nonmetals will be a pure (nonpolar) covalent bond.
  - c) An S-O bond is an example of a polar covalent bond.
  - d) Ca(NO<sub>3</sub>)<sub>2</sub> is an example of a compound that contains only ionic bonds.
  - The partial negative end of the bond dipole in the Se-Cl bond should be around the Cl e) atom.
- 3. How many of the following are **correct** ground state electron configurations for the element or ion listed? Bi is element #83.

 $\begin{array}{l} 1s^22s^22p^3 \\ [Ar]4s^2 \\ [Ne]2s^22p^4 \\ [Xe]6s^25f^{14}6d^{10}6p^3 \end{array}$ C: Mg:

Bi:

- a) 0 (None are correct.) b) 1 c) 2 d) 3 e) 4 (All are correct.)
- Apply the hybrid orbital theory to the bonding in a nitrogen molecule (N2) and complete 4. the following sentence. The nitrogen-nitrogen bonding in N<sub>2</sub> is best described as:
  - one  $\sigma$  bond due to overlap of an  $sp^2$  hybrid orbital from each nitrogen and one  $\pi$  bond from overlap of unhybridized 2p atomic orbitals.
  - one  $\sigma$  bond due to overlap of an sp<sup>2</sup> hybrid orbital from each nitrogen and two  $\pi$ b) bonds from overlap of unhybridized 2p atomic orbitals.
  - one  $\sigma$  bond due to overlap of an sp hybrid orbital from each nitrogen and two  $\pi$  bonds c) from overlap of unhybridized 2p atomic orbitals.
  - one  $\sigma$  bond due to overlap of an sp hybrid orbital from each nitrogen and one  $\pi$  bond d) from overlap of unhybridized 2p atomic orbitals.

5. The succe	ssive ionization	energies for	an unknown	element are:
--------------	------------------	--------------	------------	--------------

 $IE_1 = 896 \text{ kJ/mol}$  $IE_2 = 1,752 \text{ kJ/mol}$ 

 $IE_3 = 14,807 \text{ kJ/mol}$ 

 $IE_4 = 17,948 \text{ kJ/mol}$ 

In which group in the periodic table does this element belong?

- a) alkali metal group
- b) alkaline earth metal group
- c) boron group
- d) nitrogen group
- e) oxygen group

# 6. How many of the following five terms (I-V) did Dalton **not** discuss in his atomic theory?

I. isotopes II. ions III. protons IV. electrons V. neutrons

- a) 1
- b) 2
- c) 3
- d) 4

## e) 5; Dalton did **not** discuss any of these terms in his atomic theory.

#### 7. Consider the calculation:

$$\frac{39.0630 - 4.7 + 2.7392}{7.084 \times 3.1978}$$

Which of the following is the answer to this calculation to the correct number of significant figures?

- a) 1.6378
- b) 1.638
- c) 1.64
- d) 1.6
- e) 2

# 8. How many of the following four compounds exhibit resonance?

 $N_2S$  (N-N-S) ICl<sub>5</sub> TeS<sub>3</sub> H<sub>2</sub>CO

- a) 0 (none) b) 1
- c) 2
- d) 3
- e) 4 (All exhibit resonance.)

- 9. Draw the Lewis structure for SF<sub>4</sub>. Which of the following statements concerning SF<sub>4</sub> is **false**?
  - a) The hybridization of sulfur in SF<sub>4</sub> is dsp<sup>3</sup>.
  - b) The molecular shape of SF<sub>4</sub> is square pyramid.
  - c) The smallest bond angle in SF<sub>4</sub> is approximately 90°.
  - d) SF<sub>4</sub> is polar.
  - e) It is impossible to satisfy the octet rule for all atoms in SF<sub>4</sub>.
- 10. Consider the following three reactions:

I. 
$$F(g) \rightarrow F^+(g) + e^- \Delta H_I = ?$$

II. 
$$F(g) + e^- \rightarrow F^-(g)$$
  $\Delta H_{II} = ?$ 

III. 
$$S(g) \rightarrow S^{+}(g) + e^{-} \Delta H_{III} = ?$$

Which of the following statements (a-c) concerning these reactions is/are true?

- a)  $\Delta H$  for reaction I is equal to the first electron affinity for fluorine.
- b)  $\Delta H$  for reaction II is equal to the first ionization energy for fluorine.
- c)  $\Delta H$  for reaction III is larger (more positive) than  $\Delta H$  for reaction I ( $\Delta H_{III} > \Delta H_{I}$ ).
- d) All of the above statements (a-c) are true.
- e) None of the above statements (a-c) are true.
- 11. A compound has a formula of NaClO<sub>x</sub> where x is some whole number. A 100.00 g sample of this compound contains 21.6 g of sodium. Which of the following is the formula of this compound?
  - a) NaClO
- b) NaClO<sub>2</sub>
- c) NaClO<sub>3</sub>
- d) NaClO<sub>4</sub>
- e) NaClO<sub>6</sub>

- 12. Which of the following statements is **false**?
  - a) A homogeneous mixture can be a solid mixture or a gaseous mixture.
  - b) It is not possible for five measurements of the same object to be described as accurate but imprecise.
  - c) An atom is mostly empty space.
  - d) One would expect the undiscovered element 122 to be an alkaline earth metal.
  - e) A compound is a substance with constant composition that can be broken down into elements by chemical processes.

Consider the following four groups (I-IV) of atoms/ions for the next two questions:

- I.  $N^+, N, N^-$
- II. Al, Ca, Rb
- III. Sn, Se, Ar
- IV. Na<sup>+</sup>, F<sup>-</sup>, O<sup>2-</sup>
- 13. How many of the four groups (I-IV) is/are in order of **increasing** ionization energy (smallest to largest I.E.)?
  - a) 0 (none)
- b) 1
- c) 2
- d) 3
- e) 4 (All of the groups are in order of increasing ionization energy.)
- 14. In each group (I-IV), which atom/ion has the largest radius?
  - a) N+; Al; Ar; Na+
- b) N<sup>+</sup>; Rb; Ar; Na<sup>+</sup>
- c) N<sup>-</sup>; Al; Ar; O<sup>2-</sup>

- d) N-; Rb; Sn; O<sup>2-</sup>
- e) N<sup>-</sup>; Rb; Sn; Na<sup>+</sup>

Draw Lewis structures for the following five molecules then answer the next two questions.

IF<sub>3</sub> SF<sub>6</sub> PF<sub>3</sub> XeF<sub>4</sub> SF<sub>2</sub>

- 15. How many of these molecules are polar?
  - a) 1
- b) 2
- c) 3
- d) 4
- e) 5 (All are polar.)

- 16. Which molecule has a trigonal pyramid shape?
  - a) IF<sub>3</sub>
- b) SF<sub>6</sub>
- c) PF<sub>3</sub>
- d) XeF<sub>4</sub>
- e) SF<sub>2</sub>
- 17. Which of the following molecules or ions has the smallest bond angle?
  - a) H<sub>2</sub>S
- b) XeCl<sub>2</sub>
- c) O<sub>3</sub>
- d) HCN
- e) NO<sub>3</sub>

- Consider the ionic compound NH<sub>4</sub>MnO<sub>4</sub> (ammonium permanganate). How many ions 18. (total) are there in 1.0 mole of ammonium permanganate?
  - a)  $1.8 \times 10^{24}$  ions b) 6 ions
- c)  $6.0 \times 10^{23}$  ions
- d)  $1.2 \times 10^{24}$  ions e)  $3.6 \times 10^{24}$  ions
- 19. What is the wavelength of a photon of light that can excite the electron in a hydrogen atom from the n = 1 to the n = 8 energy level?
  - a) 92.65 nm
- b) 104.2 nm c) 729.7 nm d) 1261 nm e) 5837 nm

- 20. Consider the following five molecules/ions which all have selenium as the central atom.
  - $SeO_4^{2-}$
- SeF<sub>4</sub>
- $SeF_4^{2-}$   $SeF_5^+$
- SeO<sub>2</sub>

In how many of the above molecules/ions is the central selenium atom sp³ hybridized?

a) 1

b) 2

c) 3


- d) 4
- e) 5 (All exhibit sp<sup>3</sup> hybridization by the central selenium atom.)
- 21. A Lewis structure for benzene is:

Which of the following statements concerning benzene is **false**?

- a) Another equivalent (resonant) Lewis structure can be drawn for benzene.
- As predicted from the Lewis structure(s), three of the six carbon-carbon bonds are b) shorter than the other three C-C bonds.
- The carbon-carbon sigma bonds are formed from overlap of sp<sup>2</sup> hybrid orbitals from c) each carbon.
- The electrons in the  $\pi$  bonds can be thought of as delocalized above and below the d) entire ring surface.
- Each carbon in benzene has one unhybridized p atomic orbital. e)

Hour	LAui	11 1							rage b
22.	As	suming you	were ab		only one brom	nine ato	om, what ar		om is 79.90 amu. ne chances that
	a)	0%	b) 35	5% c)	50%	d) 65	5%	e)	100%
23.	Со	nsider the fol	llowing	g ground state	electron confi	guratio	on:		
				$1s^22s^2$	$2p^63s^23p^64s^03$	$d^5$			
	Wł	nich of the ato	oms or	ions below ha	s this ground	state e	lectron con	figu	uration?
	a)	V <sup>-</sup>	b	) V	c) Mn				
	d)	Mn <sup>+</sup>	e	e) Cr <sup>+</sup>					
24.	Wł	nich of the fo	llowing	g statements is	false?				
	b)	ground stat Iodine has a Element 11 The periodi unpaired ele	e. a total c 4 shoul c table ectrons	of 23 electrons ld have a total predicts that is in various do	in various p of 4 valence of idium (elementals)	orbitals electron ent #77 groun	s in the growns in the growns in the grown') should had state).	und oun	nd state.
25.	ope are	ration. If a c	up of c	crowave oven	77,000 J to b	ring it	to boiling,	hov	w many seconds
	a)	13 seconds		b) 35 secon	nds	c) 52	seconds		
	d)	70 seconds		e) 93 secon	nds				
26.	the	compound is	238.0	n+) forms an io g/mol. If the or y of the metal,	charge on the	d with metal	phosphorus ion is +2, v	s. T vhic	The molar mass of th of the
	a)	Pb	b) U	c)	Pm o	d) Ge	e	) N	Ji

Isolan, an organic compound used as an insecticide, has the following skeletal structure. Complete a Lewis structure and answer the following two questions.



- 27. How many  $\pi$  bonds are in the complete Lewis structure?
  - a) 0
- b) 1
- c) 2
- d) 3
- e) 4
- What are the approximate bond angles about the nitrogen atom labeled 1 and the carbon 28. atom labeled 2, respectively?
  - a) 90°; 180°
- b) 120°; 120° c) 120°; 180° d) 109°; 90° e) 109°; 120°

- 29. How many of the following formula/name combinations is/are correct?

 $Al_2S_3$ 

dialuminum trisulfate

CuCO<sub>3</sub>

copper(I) carbonate

Fe(ClO<sub>4</sub>)<sub>2</sub> iron(IV) chlorate

CsBr

bromium ceside

S<sub>2</sub>F<sub>4</sub>

disulfur tetrafluoride

- a) 1
- b) 2
- c) 3
- d) 4
- e) 5 (All are correct.)

- 30. How many neutrons and electrons are in <sup>127</sup>I<sup>-</sup>?
  - a) 128 neutrons and 53 electrons
- b) 74 neutrons and 54 electrons
- c) 127 neutrons and 54 electrons
- d) 127 neutrons and 52 electrons
- e) 74 neutrons and 52 electrons

31. Consider the following unbalanced equation:

$$N_2(g) + H_2(g) \rightarrow NH_3(g)$$

If 93 kJ of an energy are released for every 1 mole of nitrogen (N<sub>2</sub>) reacted by the above reaction, what would be the enthalpy change for the reaction when 3 moles of hydrogen (H<sub>2</sub>) are reacted?

- a)  $\Delta H = 279 \text{ kJ}$
- b)  $\Delta H = -279 \text{ kJ}$
- c)  $\Delta H = 31 \text{ kJ}$

- d)  $\Delta H = -31 \text{ kJ}$
- e)  $\Delta H = -93 \text{ kJ}$
- 32. Assume Illini rays were recently discovered as a new type of electromagnetic radiation and assume that they possess extremely long wavelengths ( $\lambda = 100 \text{ km}$ ). Comparing Illini rays to microwaves ( $\lambda = 1.0$  cm), which of the following statements (a-c) is/are true?
  - a) A photon of Illini rays is more energetic than a photon of microwaves.
  - b) The frequency of microwaves is higher than the frequency of Illini rays.
  - c) Microwaves will have a faster velocity than Illini rays.
  - d) All of the above statements (a-c) are false.
  - e) All of the above statements (a-c) are true.
- 33. An element in the ground state has one unpaired electron in the 5p atomic orbitals. The element reacts with chlorine to form a covalent compound. Which of the following is this element?
  - a) Tl
- b) At
- c) In
- d) I
- e) Ga
- 34. A 25.00 g sample of an unknown solid is placed in a graduated cylinder and then the cylinder is filled to the 50.0 mL mark with benzene. The mass of benzene and solid together is 58.80 g. Assuming that the solid is insoluble in benzene and the density of benzene is 0.880 g/cm<sup>3</sup>, what is the density of the unknown solid?
  - a)  $2.16 \text{ g/cm}^3$
- b)  $0.651 \text{ g/cm}^3$  c)  $4.25 \text{ g/cm}^3$
- d)  $1.18 \text{ g/cm}^3$
- e)  $3.68 \text{ g/cm}^3$
- 35. My answers for this Chemistry 102 exam should be graded with the answer sheet associated with:
  - a) Form A
- b) Form B
- c) Form C
- d) Form D
- e) Form E

#### **USEFUL CONSTANTS/EQUATIONS**

$$R_H = 2.178 \times 10^{-18} J$$

$$h = 6.626 \times 10^{-34} \text{ J} \cdot \text{sec}$$

$$c = \lambda v$$

$$E_n = -R_H Z^2 (1/n^2)$$
,  $Z =$  atomic number

$$E = hv = hc/\lambda$$

$$\lambda = h/mv$$
 (de Broglie equation)

$$N = 6.022 \times 10^{23}$$

$$1 \text{ cm} = 1 \times 10^{-2} \text{ m}; \ 1 \text{ nm} = 1 \times 10^{-9} \text{ m}$$

$$c = 2.998 \times 10^8 \text{ m/sec}$$

$$1 \text{ kHz} = 1000 \text{ Hz} = 1000 \text{ s}^{-1}$$

Mass % of A = 
$$\frac{\text{mass of A}}{\text{total mass}} \times 100$$

$$1 J = 1 kg m^2/sec^2$$

$$\Delta E = -R_H Z^2 \left( \frac{1}{n_2^2} - \frac{1}{n_1^2} \right)$$

 $1 \text{ mL} = 1 \text{ cm}^3$ 

### PERIODIC TABLE OF THE ELEMENTS

					LLIU	ODIV	- 111										
1																	18
1A																	8A
1	7																2
Н	2											13	14	15	16	17	He
1.008	2A											3A	4A	5A	6A	7A	4.003
3	4	]				26	Aton	nic numb	er			5	6	7	8	9	10
Li	Be					Fe						В	C	N	0	F	Ne
6.941	9.012					55.85	←Aton	ic mass				10.81	12.01	14.01	16.00	19.00	20.18
11	12	1					•					13	14	15	16	17	18
Na	Mg											Al	Si	P	S	CI	Ar
22.99	24.31	3	4	5	6	7	8	9	10	11	12	26.98	28.09	30.97	32.07	35.45	39.95
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.10	40.08	44.96	47.90	50.94	52.00	54.94	55.85	58.93	58.70	63.55	65.39	69.72	72.59	74.92	78.96	79.90	83.80
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
85.47	87.62	88.91	91.22	92.91	95.94	98	101.1	102.9	106.4	107.9	112.4	114.8	118.7	121.8	127.6	126.9	131.3
55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	La*	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
132.9	137.3	138.9	178.5	180.9	183.9	186.2	190.2	192.2	195.1	197.0	200.6	204.4	207.2	209.0	209	210	222
87	88	89	104	105	106	107	108	109	110	111	112						
Fr	Ra	Ac†	Rf	Db	Sg	Bh	Hs	Mt	Ds								
223	226	227	261	262	266	262	265	266	271		1						

1.a	ntha	nides
		macs

anthanides	58 Ce 140.1	59 Pr 140.9	60 Nd 144.2	61 Pm 145	62 Sm 150.4	63 Eu 152.0	64 Gd 157.3	65 Tb 158.9	66 Dy 162.5	67 Ho 164.9	68 Er 167.3	69 Tm 168,9	70 Yb 173.0	71 Lu 175.0
†Actinides	90	91	92	93	94	95	96	97	98	99	100	101	102	103
	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
1040955188550 \$55558.03855	232.0	231	238	244	242	243	247	247	251	252	257	258	259	260