

CHEMISTRY 101
Hour Exam I
September 24, 2019
Leveritt/McCarren

Name _____

Signature _____

Section _____

“It’s never too late to become who you want to be. I hope you live a life that you’re proud of, and if you find that you’re not, I hope you have the strength to start over.” — F. Scott Fitzgerald

This exam contains 17 questions on 9 numbered pages. Check now to make sure you have a complete exam. You have one hour and thirty minutes to complete the exam. Determine the best answer to the first 15 questions and enter these on the special answer sheet. Also, circle your responses in this exam booklet. Show all of your work and provide complete answers to questions 16 and 17.

1-15	(30 pts.)	_____
16	(13 pts.)	_____
17	(17 pts.)	_____
Total	(60 pts)	_____

Useful Information:

$$PV = nRT$$

$$K = ^\circ\text{C} + 273$$

$$R = 0.08206 \text{ L}\cdot\text{atm}/\text{mol}\cdot\text{K}$$

$$\text{Density} = \text{mass} / \text{volume}$$

$$\text{Avogadro's number} = 6.022 \times 10^{23}$$

$$1 \text{ L} = 1000 \text{ mL}$$

$$1 \text{ atm} = 760. \text{ torr}$$

Assume atmospheric pressure is 1.00 atm (unless explicitly told otherwise).

Always assume ideal behavior for gases (unless explicitly told otherwise).

Part 1: Multiple Choice

1. Which contains the greatest number of **atoms**?
 - a) 1.0 mole neon gas
 - b) 1.0 mole fluorine gas
 - c) 1.0 mole xenon gas
 - d) All of these (a. – c.) contain the same number of atoms.
 - e) Two of these (a. – c.) contain the same greatest number of atoms.
2. Which has the greatest mass?
 - a) 2.0 mole carbon
 - b) 2.0 moles boron
 - c) 1.0 mole beryllium
 - d) 1.0 mole lithium
 - e) 1.0 mole helium
3. What is the molar mass of iron(III) phosphate?
 - a) 86.82 g/mol
 - b) 150.82 g/mol
 - c) 198.51 g/mol
 - d) 262.51 g/mol
 - e) 357.48 g/mol
4. What is the percent by mass of hydrogen in aluminum hydroxide?
 - a) 1.42%
 - b) 2.23%
 - c) 3.30%
 - d) 3.87%
 - e) 6.58%

5. How many of the following are named correctly?

Formula	Name
N_2O_5	dinitrogen tetroxide
NaNO_3	sodium nitride
K_2CO_3	potassium(II) carbonate
Cs_2SO_4	cesium sulfate
MnO	manganese(I) oxide

- a) 1 b) 2 c) 3 d) 4 e) 5 (All are correct.)

6. The unit used to measure distance in space is the light year, which is equivalent to approximately 5.88×10^{12} miles. An earth-like planet named "Kepler 452b" is about 1,402 light years away from earth. How far is this in centimeters?
(Note: 1 mile = 5280 feet, 1 foot = 12 inches, and 1 inch = 2.54 centimeters.)
- 8.24×10^{15} cm
 - 9.48×10^{17} cm
 - 4.35×10^{19} cm
 - 5.22×10^{20} cm
 - 1.33×10^{21} cm
7. A common medical imaging technique called the PET scan uses the presence of the isotope $^{18}_9\text{F}$ to detect lung cancer and other abnormalities. Which of the following isotopes has the same number of neutrons as $^{18}_9\text{F}$?
- $^{15}_7\text{N}$
 - $^{20}_{10}\text{Ne}$
 - $^{23}_{11}\text{Na}$
 - $^{17}_8\text{O}$
 - $^{14}_6\text{C}$
8. The compound XCl_3 consists of metal cation "X" as well as chlorine. The **ion** of X as it is present in this compound contains 24 electrons. Identify element X.
- Chromium
 - Zinc
 - Cobalt
 - Nickel
 - Iron
9. Find the mass of nitrogen gas (N_2) that has a volume of 500. liters, temperature of 22.0°C , and pressure of 1.0 atm.
- 578 g
 - 52.2 g
 - 20.7 g
 - 1.36 g
 - 0.732 g

Please go on to the next page.

10. Recall the additional question from the “Explorations with Gases Lab” which asked you to use the ideal gas law to estimate the mass of air that would take up the same size space as your head. A student’s estimates and assumptions are below. Select the estimate that is *most unreasonable*.
- Assume room temperature is 22.0°C.
 - Assume air is made up primarily of nitrogen gas (N₂).
 - Assume the volume of your head is 50. L.
 - Assume the pressure of the air is 1.00 atm.
 - All of these estimates are reasonable.
11. We say that gases behave most “ideally” at high temperatures. In which pressure conditions do they behave most ideally? Choose the best answer as well as the correct explanation.
- High* pressures: Gas particles experience more forceful collisions with one another.
 - High* pressures: Gas particles have higher density, increasing likelihood of ideal behavior.
 - Low* pressures: Gas particles are spread further apart from one another, so they are less likely to interact with each other.
 - Low* pressures: Gas particles are moving very slowly, so they have less contact with container walls.
 - Either high *or* low pressures: Pressure conditions do not influence whether or not a real gas behaves more ideally.
12. A sample of oxygen gas in a sealed, rigid container has a pressure of 1,900. torr and a temperature of 350. K. If the temperature is increased to 380 K, what is the new pressure of the gas? Choose the closest answer.
- 1.09 torr
 - 2.30 torr
 - 2.71 torr
 - 1,750 torr
 - 2,063 torr.
13. A mixture of helium and argon gases are enclosed in a sealed, rigid container. The partial pressure of the helium gas is five times greater than the partial pressure of the argon gas. How do the masses of helium and argon in this mixture compare?
- The mass of argon is ten times greater than the mass of the helium.
 - The mass of argon is double the mass of helium.
 - The masses of helium and argon are equal.
 - The mass of helium is double the mass of the argon.
 - The mass of helium is five times greater than the mass of the argon.


14. Consider two balloons of equal volumes as shown in lecture. One balloon contains xenon gas and the other balloon contains helium gas. How many of the following are different about the two balloons?

- The pressure within each balloon
- The number of moles of gas in each balloon
- The density of the gases in each balloon
- The number of atoms of gas in each balloon
- The temperature of each balloon

- a. 1
- b. 2
- c. 3
- d. 4
- e. 5 (All are different between the two balloons.)

15. In your “Explorations with gases lab,” you observed a situation in which water stayed in a drinking straw when you put your finger over the top of the straw. Which best explains why this was able to happen?

- a. Strong forces between the water molecules and the straw keep them attached to one another.
- b. Placing your finger over the top of the straw blocked gravity from interacting with the water in the straw and kept it from falling.
- c. The air pressure inside of the straw is greater than the air pressure outside of the straw which maintains the same water level as when the straw was in the water.
- d. The air pressure outside of the straw was greater than the air pressure in the straw which kept the water from falling.
- e. All of these are reasons the water stayed in the straw.



Please go on to the next page.

Part 2: Free Reponse

16. Recall from the lecture demonstration in which we saw liquid nitrogen poured onto a balloon. During this demonstration, we stated that the pressure of the room, and therefore the pressure within the balloon, remained relatively constant. Answer the questions below to further explain what we saw.



- a. As the liquid nitrogen was poured onto the balloon, did the temperature, moles, and volume of gas within the balloon change or remain constant? Write “increase,” “decrease,” or “constant” in the space for each.

Variable	Increase, decrease, or constant?
Temperature of gas inside balloon	
Moles of gas inside balloon	
Volume of gas inside balloon	

- b. For any variable that changed, explain why it changed at the particle level. For any variable that was held constant, explain why it was constant. Your explanation should include what is occurring at the particle level and explain the gas behavior based on kinetic molecular theory when appropriate.

	Explanation
Temperature of gas inside balloon	
Moles of gas inside balloon	
Volume of gas inside balloon	

- c. We have seen in class that it is possible to use the ideal gas law to derive gas law equations that show the relationship between other variables. Starting with the ideal gas law, derive an equation comparing the variables that you said changed in part a) of this problem. Show each step in the left side of the table below. In the right side of the table, provide an explanation of each step you took. Your final equation should include before and after states for each variable you said changed. Circle your final answer.

Derivation	Explanation of each step
$PV = nRT$	

- d. Use the equation you derived to answer the question below.


A 25.0 liter balloon contains 1.0 mole of an ideal gas at 25°C. Liquid nitrogen is poured onto the balloon until the balloon cools to -50.0°C. What is the volume of the balloon **and** how many moles of gas are in the balloon after the liquid nitrogen is poured on it? Show how you got your answers.

Please go on to the next page.

17. Consider a compound consisting of two unknown elements. Answer the questions about this compound in the spaces below.

a. 1.50 moles of one of the elements in the compound has a mass of 24.0 grams. Identify this element. Show work indicating how you got your answer.


b. The two elements bond together to make the compound as shown in the image below, where each circle represents an individual atom. This compound consists of 5.93% of the other element by mass. Use this information to identify the second element. Show work indicating how you got your answer.



c. Use the image above to determine the empirical formula and molecular formula of this compound.

Empirical formula	
Molecular formula	

This gaseous compound undergoes a chemical change as shown in the “before” and “after” boxes below. Use the diagrams to answer the following questions. Assume that the size of the rigid container and temperature of the contents are the same in both cases, and that all substances are in the gas phase.



True or false? State whether each is true or false *and* explain your answer.

d. Both the “before” and “after” boxes show mixtures.

e. The pressure within the container is the same in both the “before” and “after” boxes.

f. In the container after the reaction, the partial pressure of the O_2 substance is greater than the partial pressure of the CO substance.



STOP.

You have reached the end of the exam. Nothing written after this page will be graded.

Chem 101 Scratch Paper

NOTHING WRITTEN ON THIS PAGE WILL BE GRADED

Periodic Table of the Elements

1A	1 H Hydrogen 1.008	2A	3A	4A	5A	6A	7A	8A										
2	3 Li Lithium 6.941	4 Be Beryllium 9.012	5 B Boron 10.81	6 C Carbon 12.01	7 N Nitrogen 14.01	8 O Oxygen 16.00	9 F Fluorine 19.00	10 Ne Neon 20.18										
3	11 Na Sodium 22.99	12 Mg Magnesium 24.31	13 Al Aluminum 26.98	14 Si Silicon 28.09	15 P Phosphorus 30.97	16 S Sulfur 32.07	17 Cl Chlorine 35.45	18 Ar Argon 39.95										
4	19 K Potassium 39.10	20 Ca Calcium 40.08	21 Sc Scandium 44.96	22 Ti Titanium 47.88	23 V Vanadium 50.94	24 Cr Chromium 52.00	25 Mn Manganese 54.94	26 Fe Iron 55.85	27 Co Cobalt 58.93	28 Ni Nickel 58.69	29 Cu Copper 63.55	30 Zn Zinc 65.38	31 Ga Gallium 69.72	32 Ge Germanium 72.59	33 As Arsenic 74.92	34 Se Selenium 78.96	35 Br Bromine 79.90	36 Kr Krypton 83.80
5	37 Rb Rubidium 85.47	38 Sr Strontium 87.62	39 Y Yttrium 88.91	40 Zr Zirconium 91.22	41 Nb Niobium 92.91	42 Mo Molybdenum 95.94	43 Tc Technetium (98)	44 Ru Ruthenium 101.1	45 Rh Rhodium 102.9	46 Pd Palladium 106.4	47 Ag Silver 107.9	48 Cd Cadmium 112.4	49 In Indium 114.8	50 Sn Tin 118.7	51 Sb Antimony 121.8	52 Te Tellurium 127.6	53 I Iodine 126.9	54 Xe Xenon 131.3
6	55 Cs Cesium 132.90	56 Ba Barium 137.3	57 La Lanthanum 138.9	72 Hf Hafnium 178.5	73 Ta Tantalum 180.9	74 W Tungsten 183.9	75 Re Rhenium 186.2	76 Os Osmium 190.2	77 Ir Iridium 192.2	78 Pt Platinum 195.1	79 Au Gold 197.0	80 Hg Mercury 200.6	81 Tl Thallium 204.4	82 Pb Lead 207.2	83 Bi Bismuth 209.0	84 Po Polonium (209)	85 At Astatine (210)	86 Rn Radon (222)
7	87 Fr Francium (223)	88 Ra Radium 226	89 Ac Actinium (227)	104 Rf Rutherfordium (261)	105 Db Dubnium (262)	106 Sg Seaborgium (263)	107 Bh Bohrium (262)	108 Hs Hassium (265)	109 Mt Meitnerium (266)	110 Ds Darmstadtium (269)	111 - -	112 - -	114 - -	116 - -	116 - -	116 - -	116 - -	116 - -

Key

Atomic number → **67** → **HO** → Symbol

Name → **Holmium** → **164.93** → Atomic mass

6	58 Ce Cerium 140.115	59 Pr Praseodymium 140.9076	60 Nd Neodymium 144.24	61 Pm Promethium (145)	62 Sm Samarium 150.36	63 Eu Europium 151.965	64 Gd Gadolinium 157.25	65 Tb Terbium 158.9253	66 Dy Dysprosium 162.50	67 Ho Holmium 164.9303	68 Er Erbium 167.26	69 Tm Thulium 168.9342	70 Yb Ytterbium 173.04	71 Lu Lutetium 174.967
7	90 Th Thorium 232.0381	91 Pa Protactinium 231.0359	92 U Uranium 238.0289	93 Np Neptunium (237)	94 Pu Plutonium (244)	95 Am Americium (243)	96 Cm Curium (247)	97 Bk Berkelium (247)	98 Cf Californium (251)	99 Es Einsteinium (252)	100 Fm Fermium (257)	101 Md Mendelevium (258)	102 No Nobelium (259)	103 Lr Lawrencium (260)