Chemistry 101 Hour Exam III		Spring 2019 Page No. 1
CHEMISTRY 101	Name	
April 25, 2019	Signature	
McCarren	Section	

"No winter lasts forever. No spring skips its turn." – Hal Borland

This exam contains 17 questions on 10 numbered pages. <u>Check now</u> to make sure you have a complete exam. You have one hour and thirty minutes to complete the exam. Determine the best answer to the first 15 questions and enter these on the special answer sheet. Also, circle your responses in this exam booklet. Show all of your work and provide complete answers to questions 16 and 17.

1-15	(30 pts.)	
16	(12 pts.)	
17	(18 pts.)	
Total	(60 pts)	

Useful information:



### Part 1: Multiple Choice

- 1. Which of the following processes can be considered *endothermic* from the perspective of the system? The system is underlined in each case.
- a. <u>Natural gas</u> burns when ignited with a flame with soap bubbles on top of a hand.
- b. Two solids mixed in a beaker result in the outside of the <u>beaker</u> becoming colder to the touch.
- c. A racquetball freezes in liquid nitrogen.
- d. A <u>copper salt</u> releases a blue flame after it has been ignited as its electrons return to the ground state.
- e. <u>Water in a glass</u> evaporates after being left on the counter for several days.
- 2. Consider a neutral atom of manganese (Mn). How many <u>total</u> electrons are present in the third energy level (n=3)? It may be helpful to write the complete electron configuration for this atom.
  - a. 5
  - b. 10
  - c. 11
  - d. 13
  - e. 15
- 3. Which of the following is <u>true</u> regarding the following excited state electron configuration for an unknown element X? (An orbital diagram is on the front page of this exam and may be helpful for answering this question.)

# 1s<sup>2</sup>2s<sup>2</sup>2p<sup>6</sup>3s<sup>2</sup>3p<sup>2</sup>4s<sup>1</sup>3d<sup>1</sup>

- a. This element is a noble gas.
- b. There is one unpaired electron in this configuration as written.
- c. This is an electron configuration for an atom of scandium.
- d. In its ground state, this element has six valence electrons.
- e. To get this excited state atom to return to the ground state, energy would be released in the form of white light.

- 4. Consider the compound CaF<sub>2</sub>. Which is a correct electron configuration for the stable calcium **ion** as it appears in this compound?
  - a. [He]2s<sup>2</sup>2p<sup>5</sup>
  - b.  $[He]2s^22p^6$
  - c.  $[Ne]3s^23p^6$
  - d.  $[Ar]4s^2$
  - e.  $[Ar]4s^23d^2$
- 5. Which statement is true regarding a bond formed between sulfur and fluorine?

When sulfur and fluorine bond...

- a. Energy must be added to create the bond between sulfur and fluorine.
- b. Electrons are likely to spend more time near the fluorine atom than the sulfur atom.
- c. A bond created between sulfur and fluorine is *more polar* than a bond created between calcium and fluorine.
- d. Electrons are shared evenly between the sulfur and the fluorine atom.
- e. All of the above are true.
- 6. Consider the ground state electron configuration for a neutral atom of sodium. Which of the following statements is <u>true</u> regarding the electrons, orbitals, and electron configuration of a sodium atom?
  - a. Electrons in the 1s level of sodium rotate around the nucleus on the spherical surface of the 1s orbital.
  - b. A neutral atom of sodium and an ion of sodium have the same electron configuration.
  - c. In the ground state, all electrons are paired.
  - d. There is only one possible excited state electron configuration of a sodium atom.
  - e. In its ground state, an electron is located in a 3s orbital, but that electron can move to a 4s orbital if excited.

Set	Rb	Κ	Na
1			
Set	Ca <sup>+2</sup>	Ar	Cl
2			
Set	Li <sup>+</sup>	He	Be <sup>+2</sup>
3			
Set	S	S	S <sup>-2</sup>
4			

Use the following sets of atoms and ions to answer the next two questions.

- 7. Which <u>two</u> of the sets of atoms and ions show an isoelectronic series?
  - a. Sets 2 and 4
  - b. Sets 1 and 2
  - c. Sets 1 and 4
  - d. Sets 2 and 3
  - e. Sets 3 and 4
- 8. In which <u>two</u> of the sets are the atoms and ions correctly organized from smallest to largest radius?
  - a. Sets 2 and 4
  - b. Sets 1 and 2
  - c. Sets 1 and 4
  - d. Sets 2 and 3
  - e. Sets 3 and 4
- 9. We have seen hydrogen and oxygen gas react to form water in multiple demonstrations this semester. Select the statement which is <u>true</u> about the bonds between the hydrogen and oxygen atom within the water molecule compared to the bonds within oxygen gas and hydrogen gas.

The bonds within the water molecule are \_\_\_\_\_ in potential energy than those in hydrogen and oxygen gas, because \_\_\_\_\_.

- a. *Lower*; water has polar covalent bonds and polar bonds always have less energy compared to non-polar covalent bonds in hydrogen and oxygen.
- b. *Lower*; water is less likely to react than oxygen and hydrogen gases.
- c. *Higher*; energy must be added by lighting a match in order for the reaction to occur.
- d. *Higher*; water can be broken into  $H^+$  and  $OH^-$  ions after energy is added.
- e. *Equal*; atoms are not created or destroyed when hydrogen and oxygen gas react to form water.

- 10. Our understanding of atomic structure has changed significantly over the past two-hundred fifty years. Which of the following early ideas regarding atomic structure is still accepted to be true?
  - a. Atoms are not created or destroyed in typical chemical reactions.
  - b. Atoms are neutral because a positively charged cloud balances out the negative charges of the electrons within the atom.
  - c. Electrons circle the nucleus of the atom on paths set at specific points around the nucleus.
  - d. Two of the ideas (a-c) are still accepted to be true.
  - e. All of these ideas (a-c) are still accepted to be true.
- 11. Draw the Lewis structures for the molecules CF<sub>2</sub>Cl<sub>2</sub> and XeF<sub>2</sub>Cl<sub>2</sub> and consider their molecular shapes. How do the polarities of these two compounds compare?
  - a. Both of these compounds are always polar.
  - b. Both of these compounds are always nonpolar.
  - c. Both of these compounds may be either polar or non-polar depending on the arrangement of the atoms.
  - d.  $XeF_2Cl_2$  is always polar and  $CF_2Cl_2$  may be polar or nonpolar depending on the arrangement of the atoms.
  - e.  $CF_2Cl_2$  is always polar and  $XeF_2Cl_2$  may be polar or nonpolar depending on the arrangement of the atoms.
- **12.** A compound including central atom X forms the compound XCl<sub>5</sub> as it bonds with chlorine. XCl<sub>5</sub> ends up as a molecule with octahedral geometry and square pyramid shape. Which of the following could be element X?
  - a. C
  - b. P
  - c. I
  - d. Xe
  - e. S

Chemistry 101 Hour Exam III

Consider the five compounds given below. Draw Lewis structures for each of these compounds, determine their molecular shapes and polarity, and use them to answer the next several questions.

HCN CH<sub>3</sub>F CH<sub>3</sub>OH NH<sub>3</sub> CH<sub>3</sub>CH<sub>3</sub>

- 13. Which of these compounds contains a triple bond?
  - a. HCN
  - b. CH<sub>3</sub>F
  - c. CH<sub>3</sub>OH
  - d. NH<sub>3</sub>
  - e. CH<sub>3</sub>CH<sub>3</sub>

### 14. How many of these compounds are expected to be soluble in water?

- a. 1
- b. 2
- c. 3
- d. 4
- e. 5 (All compounds are water soluble.)
- 15. How many of these compounds are able to form hydrogen bonds between themselves and other molecules?
  - a. 1
  - b. 2
  - c. 3
  - d. 4
  - e. 5 (All compounds can form hydrogen bonds.)

<u>Please go on to the next page.</u>

16. Consider each of the following scenarios related to periodic trends, energy, and orbitals. Use your understanding of chemistry to thoroughly explain your answers to each of the following questions. Limit your answers to the space provided.

# **Periodic Trends**

**a.** An atom of cesium contains more protons than an atom of sodium, and an atom of cesium is larger than an atom of sodium. An atom of chlorine contains more protons than an atom of sodium. However, an atom of sodium is larger than an atom of chlorine. Why is this? Explain.

b. It is more difficult to remove an electron from cation Ca<sup>+2</sup> than it is to remove an electron from a neutral atom of calcium (Ca). Why is this? Explain.

#### Endothermic and Exothermic Processes

c. If placed in a freezer at a colder temperature, water freezes and becomes ice. This is an exothermic process. If a match is struck against a matchbook, the match burns and the flame is very hot. This is also an exothermic process. How is it possible that both of these are exothermic processes although one process is very cold and the other is very warm? Explain.

# **Orbitals**

d. Consider a hydrogen atom with one electron and electron configuration 1s<sup>1</sup>. The image of the spherical 1s hydrogen orbital shown to the right. In a ground state hydrogen atom, it is possible for the electron to be at points A and B within the orbital. However it is also possible for the electron to be outside the orbital at point C. Using your understanding of atomic orbitals, explain why it is possible to find an electron at point C although it is outside the s orbital.



17. Consider four unknown compounds labeled A, B, C, and D. These compounds can be any of the following:

$CO_2$	$SO_2$	$H_2$	H <sub>2</sub> O

You will use your understanding of molecular shape as well as your understanding of intermolecular forces to identify compounds A, B, C, and D.

First, fill out the table below, including a Lewis structure, shape, bond angles, geometry, polarity, and strongest intermolecular force for each molecule. You do not need to include resonance structures.

	Lewis structure	Electron pair geometry	Molecular shape	Bond angles	Polar or Nonpolar?	Strongest Intermolecular Force
CO <sub>2</sub>						
$SO_2$						
H <sub>2</sub>						
H <sub>2</sub> O						

Refer to the compounds on the previous page to answer the questions below.

a. Compound A has the lowest boiling point of all possible molecules listed. What is the identity of compound A? Explain based on the strongest intermolecular forces present in this molecule.

b. Compounds A and B both have the same shape. What is the identity of compound B? Explain.

c. Compounds A, B, and C are gases at room temperature, but compound D is a liquid. Give the identity of compound C and the identity of compound D. Explain how you know.

d. Of all four compounds on the chart on the previous page, compound D has the highest boiling point. Would TiO<sub>2</sub> be expected to have a higher or lower boiling point than compound D? Explain.



You have reached the end of the exam. Nothing written after this page will be graded.

# **Chem 101 Scratch Paper**

NOTHING WRITTEN ON THIS PAGE WILL BE GRADED

	5	3		4	വ	9	7
4.003		20.18 Argon	39.95	Krypton 83.80	Xenon 131.3	Be Radon (222)	
7A	9 Fluorine	19.00 Chlorine	35.45 35	<b>B</b> romine 79.90	53	Astatine (210)	
6A	O <sub>Xygen</sub>	16.00 Sulfur	32.07 34	Selenium 78.96	Tellurium 127.6	Polonium (209)	116 
5A	Nitrogen	14.01 T5 Phosphorus	30.97	Arsenic 74.92	Sb Antimony 121.8	Bismuth 209.0	
4A	${\displaystyle \mathop{O}_{\text{Carbon}}^{6}}$	12.01	32	Germanium 72.59	<b>SD</b> Tin 118.7	$P^{\rm B2}_{\rm Db}$	114 
ЗA	Boron	Aluminum	31	Gallium 69.72	49 Indium 114.8	Thallium 204.4	
			3 <sup>30</sup>	Zinc <sup>Zinc</sup> 65.38	Cadmium 112.4		112 
			1B	Cu Copper 63.55	Ag Silver 107.9	AU Gold 1920	111 
	SS		88 58	Nickel 58.69	Palladium 106.4	Platinium 195.1	Darmstadtium (269)
indiniy	tomic ma		8B	Cobalt Cobalt 58.93	Produm Rhodium 102.9	77 Iridium 192.2	Meitnerium (266)
	i4.93 A		8B	Iron 55.85	Buthenium 101.1	Osmium 190.2	Hassium (265)
	me 16		7B	Manganese 54.94	Technetium (98)	Rhenium 186.2	Bohrium (262)
	Na		6B	Chromium 52.00	Molybdenum 95.94	Tungsten 183.9	Seaborgium (263)
Ă				94	_ <b>0</b> #5		ت: ۵ اینا <b>D</b>

23 23 250.94 250.94 100 02.91 180.9 190.9 2.91 180.9 2.91 180.9 190.9 2.62)

4B Tanium 40 91.22 91.22 91.22 178.5 178.5 104 104 178.5 104 (261)

21 Sendium 24.96 28.91 24.96 28.91 238.91 24

 $\begin{array}{c|c} \label{eq:constraint} \end{tabular} \end{tabular$ 

വ

	U)
	μ
	C
	$\underline{\Psi}$
	Ψ
	_
L	ш
	Ψ
	Ē
	-
	Ο
	_
	ധ
	Ĩ
	0
	Π
Ŀ	
	υ
- 24	_
	O
	Ó
	$\leq$
	ധ
1	ĩ

71 Lutetium 174.967	103 Lr Lawrencium (260)
Ytterbium 173.04	Nobelium (259)
Thulium 168.9342	Mendelevium (258)
Erbium 167.26	Fermium (257)
67 Holmium 164.9303	Einsteinium (252)
Dysprosium 162.50	Californium (251)
Tbb Tfb Terbium 158.9253	Berkelium (247)
$\overset{64}{\text{Gadolium}}$	B6 Curium (247)
Europium 151.965	Americium (243)
Samarium 150.36	Plutonium (244)
Promethium (145)	Neptunium (237)
Neodymium 144.24	92 Uranium 238.0289
Fraseodymium 140.9076	Protactinium 231.0359
Cerium Cerium 140.115	Thorium 232.0381
9	
Lanthanides	Actinides

۲

9

7

۲

Holmium 164.93 Hot

- Symbol

Atomic number

2A

Hydrogen 1.008

١A

Key

8A

۲