

Solution-Based Deposition of Ultrathin Metal Oxide Films on Metal and Superconductor Surfaces

Glenn Westwood

Final Defense

June 9, 2004

Ultrathin metal oxide films (<10 nm) play an important role in catalysis,¹ corrosion prevention,² chemical sensing,³ and microelectronics.⁴ The most effective method available for fabricating uniform, pinhole free oxide films in this thickness range is by surface oxidation.⁵ The goal of this work was to develop alternative techniques for depositing ultrathin metal oxide films from solution using molecular precursors. In particular, zirconia was deposited on $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ (YBCO) by condensation/hydrolysis chemistry, and molecular platinum-molybdenum oxide films were deposited by spontaneous adsorption of platinum containing polyoxometalates.

Superconductor-insulator-metal (S-I-M) tunnel junctions can be used to probe the density of states of superconducting materials.⁶ The most commonly used method for fabricating ultrathin tunnel junctions on YBCO single crystals and thin films involves the evaporation of Pb.⁷ Pb/YBCO devices are problematic because the formation of the Pb/PbO_x/YBCO junction results in the degradation of the YBCO surface; and the Pb density of states, as observed by differential conductivity measurements, masks the YBCO density of states at low temperatures.⁸ In an attempt to avoid these problems, Covington et al.⁹ used organic amine films as a tunnel junction, but as with the Pb based devices, the formation of the organic insulating layers also degraded the YBCO surface due to the oxidation of the amines by YBCO.^{10,11}

Zirconia tunnel barriers were fabricated on the surface of (001) and (103)-oriented YBCO by alternating exposures to tetra-n-propyl zirconate, $\text{Zr}_4(\text{OPr}^n)_{16}$ (Figure 1.a), in




Figure 1.(a) Structure of tetra-n-propyl zirconate, $\text{Zr}_4(\text{OPr}^n)_{16}$ and (b) a cross-section TEM image of ultrathin zirconia film deposited on YBCO from $\text{Zr}_4(\text{OPr}^n)_{16}$.

methylcyclohexane and water in n-propanol. After fourteen reaction cycles, the deposited zirconia films were highly conformal to the surface structures of (001) and (103)-oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$. Cross-section transmission electron microscopy images (Figure 1.b) show a zirconia film thickness less than 7 nm. Silver-zirconia-YBCO devices fabricated by this method display differential conductivity-voltage (G-V) curves with features as sharp, or sharper, than any reported to date for YBCO. A large percentage (30%) of fabricated junctions behave as high-quality tunnel junctions, and the remaining sample exhibited shorted or insulating behavior. These devices also display remarkable stability over time for a tunnel barrier on YBCO.¹²




Figure 2. SCHAKAL drawing of hexamolybdoplatinate, $\text{PtMo}_6\text{O}_{24}^{8-}$, where the open circles are oxygen, the black circles are molybdenum, and the shaded circle is platinum.

Platinum-molybdenum oxide materials were deposited from solution by the spontaneous adsorption of hexamolybdoplatinate, $\text{PtMo}_6\text{O}_{24}^{8-}$ (Figure 2). Using ^{195}Pt and ^{17}O NMR, $\text{PtMo}_6\text{O}_{24}^{8-}$ was observed to be stable in aqueous solution below pH 4. The anion was spontaneously adsorbed on Au, but was degraded upon adsorption on Ag. According to in situ scanning tunneling microscopy, the anion forms an amorphous phase upon adsorption on Au(111) with a coverage of 6×10 anions/ cm^2 . Strong adsorption of the anion was confirmed by cyclic voltammetry that also indicates a coverage of 8×10 anions/ cm^2 . The spontaneous adsorption and electrodeposition of hexamolybdoplatinate on Au electrodes yield electrodes with very different properties in terms of their composition, voltammetry, and reactivity. Methanol electrooxidation experiments showed that a near stoichiometric oxidation occurs with spontaneously adsorbed $\text{PtMo}_6\text{O}_{24}^{8-}$ on Au in methanolic solution, unlike the electrodeposited PtMo/Au electrode which displayed catalytic behavior similar to other PtMo methanol electrooxidation catalysts reported in the literature.

References

1. Anderson, J.R., Boudart, M., *Catalysis: Science and Technology*; Springer-Verlag; Berlin, 1981; Vol. 1.

2. Jones, D.A. Principles and Prevention of Corrosion; Prentice Hall; Upper Saddle River, N.J., **1996**.
3. Madou, M.J., Morrison, S.R. Chemical Sensing with Solid State Devices; Academic Press, Inc.: Boston, **1989**; Vol. 45.
4. Elshabini-Riad, A.; Barlow, F.D. Thin Film Technology Handbook; McGraw-Hill: New York, **1998**.
5. Vossen, J.L., Kern, W. Thin Film Processes; Academic Press, Inc.: Orlando, 1987.
6. Giaever, I. "Energy Gap in Superconductors Measured by Electron Tunneling," Phys. Rev. Lett. **1960**, 5, 147.
7. Geerk, J.; Xi, X.X., Linker, G. "Electron tunneling into thin films of yttrium barium copper oxide (YBa₂Cu₃O₇)," Z Phys. B. 1989, 73, 329.
8. Fournel, A., Oujji, I.; Sorbier, J.P., Noel, H.; Levet, J.C.; Potel, M.; Gougeon, P. "Tunnelling measurements on yttrium barium copper oxide (YBa₂Cu₃O₇) single crystals," Europhys. Lett. 1988, 6, 653.
9. Covington, M., Aprili, M., Paraoanu, E., Greene, L.H., Xu, F., Zhu, J. Mirkin, C.A. "Observation of Surface-induced Broken Time-Reversal Symmetry in YBa₂Cu₃O₇," Phys. Rev. Lett. 1997, 79, 277.
10. Zhu, J., Mirkin, C.A., Braun, M.A., Winograd, N., "Direct Oxidation of Alkylamines by YBa₂Cu₃O_{7-δ}: A Key Step in the Formation of Self-Assembled Monolayers on Cuprate Superconductors," J. Am. Chem. Soc. **1998**, 120, 7447.
11. Ritchie, J.E., Murray, W.R., Kernsham, K., Diaz, V., Tran, L., McDevitt, J.T., "Surface Cleaning and Adsorbate Layer Formation: Dual Role of Alkylamines in the Formation of Self-Assembled Monolayers on Cuprate Superconductors" J. Am. Chem. Soc. 1999, 121, 7447.
12. Hentges, P.J., Westwood, G., Aubin, H., Klemperer, W.G., Greene, L.H., "Planar tunneling spectroscopy of high-temperature superconductors: Andreev bound states and broken symmetries," IEEE Trans. Appl. Supercond. **2003**, 13, 801.